

Louise Kornel 29-02-24

### **Lyssinum (Hydrophobinum)**

Greek word Lyssa, meaning madness.

*Virus taken from the infected saliva of a Rabid Dog.*

Herring was the first prover of Lyssinum in 1833 and from there it was used as a homeopathic medicine. Used with success in cases of Dysentery, with pain and urging even though there was nothing left to pass, < on hearing water running. Lots of saliva running out of the mouth. Thirst with an inability to swallow. Feeling of suffocation. The whole body trembles. Sensitive to the breath of air.


The remedy Lyssinum is identified as a nosode (taken from an inactive diseased culture), which means it's taken from a human or animal diseased source. In this case Lyssinum, or hydrophobinum, comes from the diseased saliva of a rabid dog. (The Wolf being the original, prime vector of Rabies, the picture of Lyssin is a definite aspect of the shadow of the wolf.)

The dog is seen as the devoted companion of Hermes, messenger of the gods, Asklepios, the god of medicine, Artemis the goddess of the moon and of wild places. Significantly, Hekate, goddess of the dead and of the crossroads.

Like Hermes and his mistress Hekate, the dog serves as a psychopomp: guider of souls, escorting the deceased through the boundary between life and death, ensuring them a safe passage through the dead of the underworld. Dogs' saliva and milk were thought to possess restorative virtue, the milk was held potent. The saliva was darker.

Rabies is spread through contact with infected secretions. Often occurs through an infected bite or wound from an infected animal. Also, a result from contact between infected saliva or nervous tissue and open wounds or mucous membranes of the eyes, nose, or mouth.

Rabies is caused by a bullet shaped virus from the Rhabdo Viridae family.



The Rabies virus itself travels through the peripheral nerves to reach the central nervous system, spinal cord and brain, causing fatal inflammation of the brain and spinal cord (encephalitis). Lots of animals can contract the disease, often noticed in dogs, cats, foxes, racoons, skunks, bats and livestock. 30,000 humans die every year of rabies mostly from contact with dogs.

This process from infected bite can last from 3 to 12 weeks the animal has no signs of illness at this stage when it reaches the brain the virus multiplies rapidly and passes to the salivary glands.

Once in the brain it causes inflammation and damage. (encephalitis)

The first symptoms of rabies may be similar to flu including weakness or discomfort, fever or headache. There may also be discomfort at the site of entry or wound like prickling tingling or

Louise Kornel 29-02-24

burning sensations. These symptoms may last for days. The symptoms then progress to cerebral dysfunction, anxiety, confusion and agitation, as the disease progresses the person may experience delirium, abnormal behaviour, hallucinations, hydrophobia (fear of water) and insomnia, the acute period of the disease typically ends after 2 to 10 days. Once clinical signs appear the outcome is fatal. These findings are documented by medical practitioners.

Interestingly, the adverts that surround rabies are full of fear and danger and terrifying music. To this day there is much fear around the virus, and rightly so as it can be fatal. Films have been made of zombies and vampires, resembling the foaming at the mouth, the bite that starts off the infection and their loss of human compassion and awareness and are seen more as very animalistic, living in the lizard brain ie in the fear centre/the vagus nerve which is where the virus thrives. Albeit fiction/fantasy it gives a good timeline of history and this fascination with fear, the darkness and superhuman possibilities. Wolf is also a well-documented remedy in homeopathy, (The Wolf canis lupis – Lac lupinum – the grey wolf a mythological and comparative study, by David Lilley.) Lyssinum is talked about as the shadow of the grey wolf and has many similarities to the wolf's darker side.

The Wolf in fantasy is known to be aggressive and to live and hunt in packs, to howl at the full moon, which is interesting as the moon governs the tides and bodies of water which we all are, so it would make sense that the full moon and the rising tides creating rushing waterfalls go along with Lyssin's fear of shining objects and rushing water, and physically the swelling of the brain and foaming at the mouth with so much saliva as the person cannot swallow it. Lyssin embodies the dark side: the reflection of the darkness inside that cannot be tolerated. They can't bear to see the darkness inside of themselves, so mirrors or reflections of themselves are not tolerated and the desire to attack themselves is born. There is also a sensitivity to daylight and bright shining objects, rushing water.

There is a proverb "you should not bite the hand that feeds you". But maybe you should if it prevents you from feeding yourself. (Thomas Szasz) (Prisma Frans Vermeulen). This statement is very powerful as is the state of the person needing this remedy. It is full of fear and paranoia, massive fear of dogs, dreams of being chased and bitten by a dog. In cases of domestic violence, where a person is the victim of hate and dark destructive forces, beaten by a family member for years, to be controlled and punished in this way may eventually force the victim into a "I'm going to die if I don't kill them first" state: desire to kill, to stab, sporadic and intense born out of dark deep desperation. A martyr state of do or die. Individuals or groups of people pushed to the fringes, which is commonly seen with young teenager's, boys and girls rejected by family members often scapegoats that have been mentally and even physically abused sexually or all three as children. Seen by modern society as unruly and uncontrollable so cast aside and uncared for, and therefore vulnerable to darker forces.

This Lyssinum behaviour can be seen in gang culture today on the streets, as they prowl around like packs of wolves in a hierarchy of insanity and if any other alpha male or female comes to their territory, they are immediately threatened by this new power and have to prove themselves to not be the weaker pack. The vagus nerve (central nervous system is affected which in turn heightens all the senses making them extra sensory, the gang leader may pressure its lower members of the group finding the weakest and forcing them or threatening them to do things they wouldn't normally to protect the honour of the group. They become so terrified their senses become exaggerated and they will suddenly switch and commit spasmodic acts of violence on innocent

Louise Kornel 29-02-24

people, ie, stabbings, violent robbery's in order to gain their status in the group and have some false sense of being cared for with in the gang from the alfa male or female in order to survive, Lyssin also has this dependency they need their source to survive, eat sleep have money and roof over their head so they do it, the fear becomes a frenzy, of spasmodic behaviour, stabbings can occur, rapes or violent attacks as a result. It's common for night shifters in hospitals and security guards to witness more of these dramatic crimes during full moons. ( I can't help seeing the connection with Lyssinum's fear of water, in that the moon governs all bodies of water, the tides, and in all living creatures, animals. Humans are made up of a lot of water, so on a full moon this swelling of water in the world shows in this close link to the remedy e.g. the swelling in the brain, the heightened emotions, fearing something bad will happen, the attack of the central nervous system, encephalitis This affinity to water that Lyssin has in the brain could reach a dangerous state around this time. Also, the link to caner the astrological star sign which is the sign ruled by the moon which dominates family, birth, death, co- dependency, food. Need for a family, very deep and emotional star sign, along with co-dependency we can see how victims (child or adult) if terrified enough could develop Stockholm syndrome as their survival depends upon there dependency to stay alive, So I feel it would make sense that the family dynamic is strong and a lot of abusive relationships in the home, perhaps a violent father that attacks suddenly without warning, who is remorseful but keeps doing it; like a loss of control. They can hate themselves for this and be self-harmers too, the desire to stab the self, cut the self. Can't look at their reflection for fear of attacking themselves, as they don't recognise their reflection in the mirror. even the thought of water can trigger a spasmodic reaction.

Another example could be, whole nations, for example Palestinian people whom have been persecuted for decades and made to feel they have no rights and forced to their death by genocide would incite this martyr state for they have no choice when starved, bombed, raped, humiliated, they would have a massive fear of something bad about to happen and trapped with no way out, persecuted to death and made to feel hatred towards their ego self and left in a limbo between their god and ego self, a true dilemma of biting the hand that feeds you to be able to feed yourself again.

Another place for this would be in public schools which are all male and can also result in horrific bullying and sexual abuse, also inciting a Lyssinum state of the victim to then repeat the cycle of violence on anyone they fear may attack them.

You can see from my own observations of Lyssinum and where in society it may be seen in extreme areas of violence and abuse. We see the malicious nature of the beast, the consciousness focused on the lower chakras, the first, which represents the basic instinct, aggression and sexuality, and the third, which represents the selfish energy of the ego self. This hateful energy, that hates any good or innocence, takes possession of these chakras. The shadow side invested in inflated self-ego, pride, hate, lust and cruelty. Corrupting the instinctive animal drives into destructive, masculine and misogynistic behaviour.

Lyssinum produces and cures emotions and impulses that are intense, aggressive, violent and destructive. Directed at inanimate objects, people or themselves, (self-mutilation and suicidal impulses.) periodic spasmodic outburst of savage rage.

This presents itself as spitting, striking, kicking, biting and stabbing frantic, violent and sometimes murderous passion. Sudden, periodic, explosive fits of anger with loss of any self-control, vented when people annoy or frustrate them, remember they have extremely heightened senses so the

Louise Kornel 29-02-24

sound of someone eating an apple or crumpling a newspaper can irritate them immensely; anyone that possesses a threat to them or they are paranoid about them attacking them.

Their language is foul, abusive and insulting, they will take out their anger on those closest to them friends or family, domestic abuse and violence are common. Once the fury has subsided, they are remorseful, and can't apologise enough, begging forgiveness, promising it'll never happen again. The victim knows this isn't the case and waits for something bad to happen. Male sexual desire is intense and heightened. They are lascivious and frequently aroused sexually and always on the prowl. There is no romance; it's violent and relentless. Denying them sex is a sure way of provoking them. They have no control over these episodes...

Hypersensitivities: we've already seen how violent they can become and its sudden, extreme.

Being animal-like they will have hypersensitive senses, smell, taste, hearing, touch and sight are very acute, sensitive to sex and pheromones, noises irritate them they become infuriated by them, especially the sound of splashing or running water. Hearing the sound of church bells or sacred music, like aurum disturbs them, causing anxiety. Everything affects them powerfully. Very touchy, easily offended. They are intensely wound up and easily startled. All their senses are exaggerated. Clairaudient and clairvoyant. They sense others' thoughts, and/or their feelings of pain (wolf and Raven).

Speed of thought, quickened perceptions and comprehension (*Lycosa tarantula*).

Paranoid anger:

Delusions that they are somehow persecuted, tormented or abused by others, (again I would expect to see this when someone is in a state of PTSD and having flashbacks to the past abuse,) often those closest to them. People they are dependent on. Even though they are remorseful for their violence they take no responsibility as they always blame others for their behaviour. At a deeper level they have all this resentment, blame, mistrust with God, God being the one they are most dependent on (again here I think of religious groups). Lyssin lies between the self-ego personality and the divinity of the soul. Meaning they are stuck somewhere in the middle which is where the do or die comes into their instinctual behaviour.

Finally, Hydrophobia:

Fear of water, the sound of rushing water, of mirrors in the room and the light of shinning objects, the mere thought of fluids, even blood, of drinking swallowing or the offer of anything to drink, can bring on convulsions. Dreams of dogs. Fear of being bitten by a dog. Usually black and vicious and chasing them.

Interestingly there are common themes running through Nosodes, (of which Lyssinum is) a victim feeling, the infection has come from the outside so there is a sense in the person why me, the word attack is common. They have this constant comparison, because they feel abnormal within. They are comparing themselves with the normal outside. Lyssinum, we think of the miasm as an acute miasm. (I am so completely overtaken and overwhelmed by the outside that my system is behaving insane.) In Lyssinum the feeling is I am so overwhelmed by the outside that I can behave even to the point of insanity. I don't even understand what I have done so wrong to be so badly affected. It

Louise Kornel 29-02-24

came in so suddenly, so acutely and, whom, I am almost driven to insanity! I am going crazy. Can I ever get help? I am even behaving berserk, crazy and violent. I don't think I can get any help. Oh my god! I can't even control what's happening to me. This is exactly the fear of Lyssinum, that something terrible can happen to them. They feel that their system can never cope with an attack from the outside. (Nosodes and Imponderables come alive, by Dr.Bhawisha and Dr.Shachindra Joshi.)

Dr.Saptarshi Banerjea

The Tri Miasmatic Lyssin

Mental symptoms clinical types to identify Lyssin

Sensitivity to external stimulus; sensitive vagina (also think of Platina); sexuality desire +++; highly strung; anticipation of ideas; self-centred. Hypersensitivity at the top and selfish, self-centred, impulsive, violent. Intermittent and periodic, recurrent and spasmodic. Think of children with excessive masturbation. Elaboration of Lysophbia, lyssin like to enjoy the world, but they get aggravation from dazzling sunlight, odours of flowers, on seeing water cascade or a fountain, moving water. He likes to enjoy the world, but he cannot, they shut themselves away from the exterior, external environment, family, society. Becomes self-centred, selfish like psora. They are jealous of people who are healthy and enjoying the beauty and natural resources of the world, sycotic. Out of his self-centeredness develops strange ideas. Viz to throw a glass of water onto somebody, he becomes hyper impulsive which is characterised by violence. Violence in Lyssin then comes first with the selfishness (Psoric) stage then the jealous (sycotic,) then the physical violence and sexual violence, (syphilitic). They become physical to themselves and to others, to stab himself, destructive tendencies. Sexual (Viz sexual, assaults, rapes, sadism.) emotionally abusive curse and swear.

**Commented [1]:** not sure what word this was meant to be: desires, maybe

Rubric Delusion that something terrible is going to happen, delusions of strange notions.

Elaboration these symptoms are implied as follows: verified in practice by (Dr.Saptarshi Banerjea), Past history of suppression either before or during pregnancy. Suppression emotional, develops strange notions, she thinks that she is going to give birth to a congenitally abnormal child.

There is either I.U.G.R (intra-uterine growth retardation of the child) or I.U.D (intra-uterine foetal death).

She constantly dwells on such anticipation and anxiety's, which makes her self-centered, as a result she withdraws herself from the world. Impulsive characteristic symptoms, insidious development but violent manifestation.

Hahnemann says the hydrophobia is caused by a half acute miasm, this corresponds to the nature of the disease of which the onset is late after the initial infection but once the symptoms appear they are violent and sudden. So Lyssinum can be thought of in diseases where similar development occurs e.g. coronary, sudden heart attacks (Lyssinum has a lot of stabbing heart pains they can feel there heartbeat through their whole body's causing anxiety). This also makes me think of diseases such as brain tumours that can press on certain parts of the brain and cause the nature of an

Louise Kornel 29-02-24

otherwise calm and relaxed person to display anger rage paranoia ect, Alzheimer's disease which is well documented for a slow and steady on set and then suddenly the person can become violent curse and swear and lash out at family members that they no longer recognise, and they doesn't recognise themselves in the mirror. Also, schizophrenia, can come on gradually and then suddenly the person display extreme paranoia and hallucinations, can attack others with knives or whatever is available to them as they feel someone may be after them the voices told them to do this. Epilepsy could also be considered for its sudden onset. These are just a few circumstances I would consider the use of Lyssinum.

The stages of Lyssin

Stage one psora: the selfishness they like to enjoy the world, but they cannot due several irritations such as photophobia, odour of flowers, on seeing water cascade or fountains, eventually he shuts himself away from external environment, friends, family, society, they become elf centered.

Stage two sets in, sycois: They start to become jealous of people who are healthy and can enjoy life, and the natural world, from here person can start to display strange ideas, ie to suddenly strike someone, bite kick, through things at them. They become hyper impulsive, which is characterised by violence.

Third stage syphilis: destructive, desires physically to stab themselves, or others, sexually hypersensitive (again here peripheral nerves effected by the disease, sexual assaults, rapes, sadism. Emotionally abusive cursing and swearing.

Rubrics: delusion something bad is going to happen, Delusions of strange notions.

These symptoms are implied as follows a history of suppression either before or during pregnancy, suppression: thinks she is going to give birth to a congenitally abnormal child.

She constantly dwells on this which puts her in the selfish category, as a result she withdraws from the world, impulsive.

So, we have a good idea of Lyssinum as a Homeopathic remedy.

Lippes Keynotes, redline symptoms:

Cannot bear heat of the sun.

Lyssophobia (Bell Stram)

Cannot bear the sound of running water.

Impatient and violent temper.

Diarrhoea, aggravated by hearing running water.

Convulsions on hearing water poured out.

Convulsions as the result of reflected light, or from water, or from a mirror.

Spasms are excited at every attempt to drink water, the sound of water.

Louise Kornel 29-02-24

These keynotes really embrace the main themes for me, clearly the central nervous system is at war with itself and the disease, as explained earlier attacks the peripheral nerves, travels up the spine to the brain, once encephalitis has set in the prognosis is not good.

All of Lyssins physical symptoms are inflammatory, convulsive, sudden, hot with rapid circulation, and heart affections, or withdrawn and cold with lack of circulation, which I think reflects the mental symptoms also, and fast, the nervous system is so compromised the person cannot control their responses to the external world so they feel they have to isolate and stay away from close family and friends as they don't really want to hurt them as is expressed in the remorse but non the less they cant help themselves and are dependant on close family also. Agin this dilems of the ego self-personality and the divine self.

The Physical symptoms of Lyssin are painful and sudden, neuralgias, paralyses. Pregnancy, convulsions. Respiratory, paralyses. Salivation. Sciatica. Sunstroke. Tetanus. Toothache. Ulcers. Uterus, Prolapse. Vaginismus. Wounds. All things related again to the nervous system making it over taxed and causing extreme pain, we all know the extreme pain of a tooth ache for example and how this can effect our ability to eat and get nutrients and if left untreated will become infected and affect the deeper nerves in the root until some serious infection occurs and poisons the blood stream and can cause death, and did in the days of no dental treatment, again possible working yourself into a frenzy having to suddenly pull out your own tooth or suffer the fate of death or something bad happening further down the line, this intense pain to peripheral nerves can drive the senses to heighten.

Herring was the first prover of Lyssinum in 1833 and from there it was used as a homeopathic medicine. Used with success in cases of Dysentary, with pain and urging even though there was nothing left to pass on hearing water running. Lots of saliva running out of the mouth. Thirst with an inability to swallow. Feeling of suffocation. The whole body trembles. Sensitive to the breath of air. Muscles are pronounced and stand out at the sides of the neck like thick cords.

Their face will appear pale and yellowish, with bluish pimples, especially in the withdrawn stages. This will alternate with heat and redness in the violent phase. Face sweats, which will be unbearable as this is water, there face will be contorted, quivering, spasms with frothing at the mouth, the jaw is stiff especially the lower jaw. Painful inclination to yawn. (I can't help comparing this vision of the werewolf changing at the full moon, how the jaw and face contort, and the body stiffens and becomes convulsive.) David Lilley's example of the shadow side of the Wolf being very visible in this stage. Lyssins muscles even in the limbs feel bruised in the morning, there's a drawing in the back and the limbs, twitching in the arms and legs, although there is a weakness in the arms and shoulders and a heaviness in the legs, cramps in the arms, sciatic is affected being a massive nerve in the body as well as the vagus nerve, (which is why id say this is a very effective trauma remedy), to be thought of in brain traumas that cause convulsions. Certain cases of autism were maybe they are ritualistic and attracted to shiny things and for symptoms such as stimming and fascinations with water, which over-excite them. Good also for malignant ulcers from the bite of a dog. Bluish discolouration at the sight of the bite or wound. Cancerous sores. Pustules. Blue marks around inoculations. It reminds me of possible bad effects of vaccination where the person is displaying these symptoms, even months later.

Louise Kornel 29-02-24

Lyssin has many similarities to other remedies such as Stramonium, Belladonna, Hyoscyamus, china and Lac can. Just to mention some of the main ones, interestingly it is said that Lac caninum follows Lyssinum well which makes sense as Lac caninum is contemptuous of themselves which goes with Lyssin's extreme dislike of self and self-destructiveness, has similar delusions such as, is despised. He is dirty, malicious, rage and fury, rudeness, writing meanness to their friends. Disgust of own body. Self-loathing. Very close symptoms and worth comparing. Just to add Stramonium is so super sensory it can become mentally catching within families, new discoveries recently in the news have also said they think that Alzheimer's could also be mentally catching, so I'm looking Lyssin in the same way in that the harm caused to another can insight such a heightened level in the senses that too the acute state is very much passed on in this way, cause and effect. So, they know what each other are thinking before they have even thought it because attention to detail is extreme.

Lyssinum is an acute remedy, acute symptoms. The mental symptoms also can compare to Belladonna, Hyoscyamus, Stramonium and Veratrum. Belladonna bites and strikes, stramonium also but is much more extreme, Hyoscyamus sits in between the two of intensity. Veratrum has the religious insanity, restlessness, they despair about their social position were as Lyssinum just despairs at the self and lack of control with themselves. These are the most similar remedies to Lyssinum in intensity, but I'd say that Lyssin is top and first for intensity not just mentally but also physically.

China feels tormented like Lyssinum, but again less intense.



## Case Studies:

### CASE

Mrs. L, born 1953. I see before me a woman who looked as though she had just escaped from a concentration camp: skinny, wild panic-stricken eyes, like a hunted animal, whose eyes seemed to say, 'please do not hit me'. During the past year she had suffered several bouts of serious salpingitis, with purulent pus formation, which had been with antibiotics each time. The pain was mostly felt on the left side of the abdomen, localised in one spot. She looked very grey, she was shaking and her fists were clenched. Her weight was only 46 Kg. No one was allowed to see her, she stayed at home. From an early age onwards she had been sexually abused by her mother, friends of her mother and relatives who all maltreated her to such an extent that it resulted in bleeding. She was humiliated, beaten and left covered in her own blood. Later her husband sexually abused her as well, often tying her up in chains, kicking and hitting her, and extinguishing his cigarettes on her. She never reacted to this treatment, she did not complain or hit back, 'if I show that they are hurting me, they only carry on all the more'. She had had four children one of which died a few days after birth. Her husband took the dead child away from her; he even refused to let her say good-bye properly to the child. She was not allowed to attend the funeral. Several times she had been admitted to a psychiatric hospital due to suicide attempts. What had happened at home was never discussed, not even the psychiatrist was told. In the psychiatric clinic she met her girlfriend and they left together. Since that time she has not seen her children again, her husband had threatened that he would destroy her if she came anywhere near them. After leaving the whole situation behind her, she started to talk about all her experiences. That is also when the infections started. She said that she hated herself, her greatest fear now being that she might lose her girlfriend. The reason for this was that she has had terrible fits of rage, which she vented at her girlfriend. She carried on in such a way that in the end her girlfriend became really angry with her. After that her self inflicted penance was to bang her head against the wall, once she even attacked herself with a sharp knife, and wounded herself. Afterwards she was always very sorry for what she had done, repeating 'sorry, sorry' all the time. If she was to meet her husband now she would kill him 'without

Louise Kornel 29-02-24

blinking an eyelid', she told me. Generally she has • Aversion to apples • Fear of water, urination from hearing running water The remedy is Lyssinum The theme of Lyssinum is clearly presented here: someone who is tormented by the person whom they are dependent on. It is just like the picture of a dog, who, through bad treatment by a mean boss, becomes a mad dog. But it was only after she arrived in a safer and healthier environment that she herself became violent and showed her aggression at last. This was followed directly by enormous feelings of guilt: anger with quick repentance. Before this her aggression was mainly directed towards herself in the form of an impulse to stab herself with a knife. I have rarely seen such a dramatic case. It was almost too much for me at times, to listen to her telling me of the hell that she had been through. As well as the psychological side of this case, her body also presented clear keynotes, such as aversion to apples and involuntary urination on hearing running water. In short, a very dramatic case with a very clear remedy picture.

After the remedy her salpingitis completely disappeared and has not returned. She has gained eight kilos in weight, looks far less strained and is very slowly coming to terms with her past. Her aggression has greatly reduced, she now stands up for herself to a greater extent. In her case I had to repeat high potencies once every two to three months during the first two years, due to her emotional relapses. During the last two years she has not needed the remedy that often, and I can keep her stabilised by giving her a dose of XMK once each year.

#### International Foundation for Homeopathy: Case Conference Proceedings

Case F. C. - - - , aged 29, stenographer and bookkeeper. Fifteen years since he was operated upon in the West Penn Hospital, Pittsburgh, Pa., for necrosis of the femur. Previously he had repeated attacks of scrofulous ulcers - running sores - in the right thigh. These attacks were always ushered in with intense pain along the track of the sciatic nerve from the hip to the toes, but the inflammation and suppuration always took place above the knee on the outer side. Three years ago the patient underwent the operation of tracheotomy in the Allegheny General Hospital, which came very near being fatal, leaving the vocal cords greatly impaired. He next took treatment with throat specialists in Philadelphia, with little or no improvement. After returning to Pittsburgh he came to me, receiving homoeopathic treatment for the first time. In less than a week he was well enough to resume his former employment. In about a year from then he consulted me again, this time for "rheumatism," as he called it, of the right lower limb, the pain beginning at the hip, running down to the foot - the same old trouble of former years, of which he gave me a history. The most carefully selected remedies had no perceptible effect. Nothing gave relief until suppuration took place and contents evacuated, after which convalescence rapidly followed. PAGE 208 In about eleven months from the last attack he reported again, in dread and alarm at my office, with the old trouble, "sciatica." This time I decided to send him to the Homoeopathic Hospital (Pittsburgh), where he would receive better care than he could in his rented room. My friend, Dr. Z. T. Miller, was visiting physician for that quarter. It is therefore

Louise Kornel 29-02-24

needless to say that the patient received as good scientific treatment as could be given. But that torturing pain was unconquerable until suppuration again took place, as usual, when everything was all right for the next eleven or twelve months. But, true to its former history, back it came again at the end of that time, with all its fierceness. One evening he limped into my office on a cane. Dropping helplessly on a chair he announced that again, alas! he had met the enemy. Knowing his case thoroughly, and having already tried our best indicated polychrests, I decided that this time I would have recourse to the nosodes, in which I was then quite interested, having recently purchased a copy of Dr. Allen's new work on the subject. Here I soon learned that Lyssin covered most of the symptoms; so against his protestations, saying that "medicine of any kind was useless," I put a powder medicated with Lyssin 200 on his tongue, and gave him two powders of same, one to be taken that evening on retiring and the other in the morning. This was supplemented with a generous supply of Sac. lac., to be taken three times a day. He reported next morning over the 'phone, and a more surprised, pleased and grateful man would be difficult to find. No more pain, no sleepless night of unspeakable torture. But the inflammation went on to suppuration without the least pain, and that sore still remains open. PAGE 209 The recurring trouble - it would come back, or the patient was apprehensive of its coming back - was the "key-note" that guided me to the cure. A peculiar feature of the case is that the sore will not heal permanently. It will dry up for a day or two and begin running again. On all former occasions the sore healed in two or three weeks; could not be kept running any longer. At present the patient has perfect use of the limb, and experiences good health, otherwise than the presence of the running sore, which he hails as the "safety valve" of the system.

#### International Hahnemanian Association 1910

Two young Frenchmen were bitten in Le Havre by the same dog in January 1853. One dies from the effects within a month, but before this the other young man had sailed for America, where he lived for 15 years in total ignorance of his former companion. In September 1868 he returned to France and heard of the tragedy and actually the himself developed the symptoms and within three weeks was dead of hydrophobia

The majority of patients have no adequate conception of real origin of their malady, and affirm in decided terms that the scar is of no significance whatever and causes them no pain.- Most commonly the mental faculties are in a superior state of excitement, shown by quick perception, amazing acuteness of

understanding and rapidity with which they answer questions.- Is astonished in his dream at the readiness with which he can express himself in elegant Latin.

‘A musician received a bite from a small pet dog in calf of left leg while walking through a dark entry; the bite was very slight, scarcely wounding skin; the animal was in a healthy condition and remained so; a pain in bitten place kept returning

Louise Kornel 29-02-24

from time to time independently of mind dwelling on it, until finally it grew to a burning which extended through entire body, causing an indescribably strange sensation; in night trembling, and a tormenting fear that he would have hydrophobia; was thirsty and drank water freely; it was two years after the bite when these and the following symptoms appeared : frequent spitting of saliva all through day, only ceasing awhile after taking strong tea in evening; disturbed dreams at night; finally could not partake of food or drink, and complained of pricking stitches under tongue; mental excitement now as all his life, affects him badly; hot vapor relieved burning pain in bite, and Lyssin 2c improved all symptoms rapidly; in three weeks he considered himself cured, and started on a journey.'

'Mary M., aet. 17, had been bitten several years previously by a dog, and reading of several cases of hydrophobia as reported in papers, was found in following condition : crouched in corner of a sofa, dark red bloated face, expression of terror in face, eyes glistening, conjunctiva injected red; was brought into this condition by endeavoring to take a drink of water, and could not hear water mentioned without a shudder of fear, could not swallow, pulse very high, tongue dry and coated red; Lyssin 2c one dose; she was better next day, but had several slight attacks afterwards, always induced by running of water, but always yielding to remedy; has not had an attack in nearly a year.'

[Hering – Guiding Symptoms]

Proving:  
 THE ENCYCLOPEDIA OF  
**PURE MATERIA MEDICA**  
 By TIMOTHY F. ALLEN, A.M., M.D.  
 Presented by Médi-T

## **HYDROPHOBINUM.**

The virus from the mad dog.

*Preparation*, Trituration with sugar of milk.

**Authorities.** (1 to 7, provings by J. R. Coxe, Jr., M.D.; Phil. J. of Hom., 3, p. 262). **1**, J. R. C., Jr., took 3d dil. three times a day for four days; **1a**, proving with 6th dil.; **1b**, proving with 30th dil.; **1c**, proving with 3d dec. dil.; **2**, Daniel Coxe, aged 17, took 3d dil. in same manner; **2a**, same took 6th dil.; **3**, Charles Coxe, aged 7, took 6th dil.; **4**, N. E. W., aged 18, took 3d dil.; **4a**, same took 6th dil.; **5**, same took 30th dil.; **6**, A. R. S., aged 18, took 3d dil.; **6a**, same took 6th dil.; **7**, Miss A. S., aged 30, took 3d dil.; **7a**, same took 6th dil.; **7b**, same took 30th dil.; **7c**, same

Louise Kornel 29-02-24

took 3d dec. dil.; (8 to 18, and a few authorities given after the symptoms, from same reference, no details furnished); 8, Hering; 9, "B.," Behlert on females.; 10, N., Neidhard; 11, "V.;" [erase "11 v. (vide reference to other symptoms. - Hering.)] 12, "Schm.;" 13, "W.;" 14, "My.;" 15, "E.;" 16, "Br.;" 17, "C.;" 18, Peterson.

**MIND. ► Emotional.** ► Strange notions and apprehensions during pregnancy, [8]. ► Exaltation; thinks he has something of importance, [8]. ► Singing, in walking through the whole house, entire day, [11]. ► Sang more than usual, but did not feel at all merry; singing involuntary, [7]. ► Happy disposition, after perspiring in the evening, [11]. ► Exhilarated, felt as if he had received joyful intelligence, all day, [4]. ► During the first two or three days, temper more equable than usual, [7]. ► Felt unusually serious, [7]. ► Had a good cry before going to bed; felt very sad (third day), [7]. [10.] ► Bitterly crying, with headache, [11]. ► Anxiety of mind, restlessness, with great prostration, [11]; with pain in the heart, [11]; with the headache, [13]. ► Feeling as if I had heard, or was about to hear something bad; morose and crabbed feelings until 4 P.M. (fourth day), [1a]. ► Mind much depressed; felt as if something disagreeable was about to happen (third day), [3]. ► Feeling as if something annoying was about to happen; goes off when thinking of it, [1]. ► He cannot prevent ideas of something awful about to happen, or as if he would do something awful, [8]. ► An indescribable idea, which I could not shake off, of something dreadful about to happen to me; all day feeling as if some great misfortune were about to occur, [1c]. ► Irritability, [9]. ► Irritable, with headache, [11]. ► Feel irritable; spoke short to the children (ninth day), [7]. [20.] ► Very irritable at trifles, [7b]. ► Am extremely irritable, or rather feel stern (sixth day), [7b]. ► Disposed to get mad, [10]. ► Impatient all day, [7a]. ► Impatient all day, with headache, [11]. ► Cross and hypochondriac in the evening, [12]. ► Felt very cross; did not want to converse or see any one, [1c]. ► Very cross and crabbed until 10.30 P.M., when I fell asleep, [1c]. ► Very cross, so much so that my children expressed great surprise; took offence at the merest trifles; scolded my wife and children; could not concentrate my mind of anything, [1c]. ► The last day or two feel more morose; caught myself saying to nephew, in severe tone, "If you do that again," etc., when he was not really in fault, [1]. [30.] ► Offended at everything; gives offensive answers, [9]. ► Inclined to use offensive expressions, [8]. ► Thought came into his mind to attack others in a mean way; to cut others with a knife he holds; to throw water he has in a tumbler into another's face, [8]. ► Occasionally exhilarated, then again morose, both feelings going off very readily on conversing, [1]. ►

**Intellectual.** ► There seems to be two distinct trains of thought operating at one and the same time, [7b]. ► Plays chess much better, but cannot relate a story, [8]. ► Undecided about little things, [8]. ► Have found it difficult through the whole proving to think intently, and at times almost impossible (seventh day), [7]. ► Restlessness in the mind during the forenoon and at noon, [12]. ► A strange oppression and indifference, as if he was unable to do anything if he forces himself; there is no power in the mind, [8]. [40.] ► Dulness and stupidity (second

Louise Kornel 29-02-24

day); at night restlessness, [15]. ▶ Memory for words much better, [10]. ▶ He loses consciousness for a moment, [8].

**HEAD.** ▶ **Vertigo.** ▶ Vertigo while sitting, and after rising or walking he staggers, [9]. ▶ Slight vertigo when rising from a chair (sixth day), [2]. ▶ Dizzy, as if he could not hold the head, [8]. ▶ After stooping dizzy, and losing sight, [9]. ▶ Dizzy headache (eleventh day), [7]. ▶ Dizzy headache all day, spirits not depressed (third day), [7b]. ▶ A dizzy dulness in the vertex, he fears he will fall while walking, in the evening, [8]. **[50.]** ▶ Slight dizziness and nausea (sixth day), [7]. ▶ While stooping, giddiness on the right, [11]. ▶ After lying down in bed, a giddy-like shock in the upper part of brain, [8]. ▶ **General Head.** ▶ *Rush of blood to the head* while lying down, [8]. ▶ Lightness in head, [12]. ▶ Lightness (of head) after nausea, [11]. ▶ Dulness (of head), [11]. ▶ Have had all day a singular sensation in head (third day), [7]. ▶ Feels as if a leaden ball was rolling about in the brain, [5]. ▶ Pain in the head (fifth day), [7]. **[60.]** ▶ Slight pain in head and heart (fourth day), [4a]. ▶ Pain from mouth up through head, and down to back of neck, quite severe, [7b]. ▶ Pain in head, which was very severe till 9 P.M. (fourth day), [2a]. ▶ Intense pain in head, extending back of forehead to organ of firmness, at 2 P.M.; soon after to whole to of head, or to eyes, lasting all day (second day), [7]. ▶ Burning waving towards the head, [11]. ▶ After moving, turning, stooping, feels as if head would burst, [11]. ▶ Head feels as if it would spit, and a great pressure on top, [5]. ▶ Dull, heavy pain in the head, [3]. ▶ Headache all day (fourth day), [1a]; (sixth day), [7]. ▶ Some headache and pain in eyes (sixth day), [7]. **[70.]** ▶ Walked out and had headache, or after walking five minutes felt sharp pain across the eyebrows or up the nose; felt exceedingly fatigued and weary after a short walk (fourth day), [7a]. ▶ Headache in the bones, [9]. ▶ Towards noon slight headache, [5]. ▶ At noon slight headache, lasting all day, [1a]. ▶ Headache severe, [7b]; (fifth day), [7a]. ▶ No pains till 3 P.M., when head ached severely until 9 P.M., [5]. ▶ Headache quite severe all day, and implicating eyes; feel lazy, requires an effort to think (fourth day), [7]. ▶ Headache quite severe, [5]. ▶ At 3 P.M. headache very severe, [5]. ▶ A severe, impatient headache through the whole morning, [7b]. **[80.]** ▶ A very intolerable, snappish, irritable headache for three days, with the jaws stiff and sore, the hands numb (after nearly a month), [7b]. ▶ Headache alternately with flushes in face, [11]. ▶ Afternoon pain in head, sick headache, [7b]. ▶ Considerable pressing pain in head (seventh day), [7]. ▶ Tearing and shooting-like in the bone (of the head), [9]. ▶ Irritable headache, touching the head makes it ache (sixth day), [7a]. ▶ Throbbing headache in forehead, vertex, and occiput, down to the neck, [9]. ▶ Throbbing, pulsating headache, most severe in right temple and over right eye, [1c]. ▶ Headache all day, most severe in right temple, beating, throbbing, and pulsating, [1c]. ▶ A slow vascillation or waving of the head from losing something in the upper part of the head, [8]. **[90.]** ▶ Dulness in the middle of the brain where it waves and moves, [8]. ▶ Shocks (in head) like dizziness, [11]. ▶ Headache relieved by cold air, [7b]. ▶ **Forehead.** ▶ Dulness in the forehead, more to the right side, [8]. ▶ Pain in forehead, in the protuberances, soon, [10]. ▶ Pain in head, greatest one and a half

Louise Kornel 29-02-24

inches above left eye, [7b]. ▶ Great pain in head, from temple to temple, all day, [4a]. ▶ Slight burning pain in forehead, [7a]. ▶ Dull pain in forehead, especially on the left side, with a stupid feeling, [10]. ▶ Dull, heavy pain in forehead, and sharp, pricking pain in the left temple, sometimes attended with throbbing and pinching, [2]. **[100.]** ▶ Severe, heavy, dull pain in forehead, lasting five hours, [2]. ▶ During the afternoon and evening, headache over the eyes, [9]. ▶ Head aches severely from temple to temple (fifth day), [5]. ▶ Pressive pain in forehead, [12], [9], [11]; with sensation of heat, [11]. ▶ Pressive pain in forehead and vertex, worse after moving the head and stooping, [9], [12]. ▶ Pressing pain on top of forehead, while reading and thinking, in the afternoon, with restlessness of mind, [12]. ▶ Violent pressing outwards in forehead; the patient put the head towards the wall, [16]. [authority, Behlert, erase "16."] ▶ At 9 P.M., severe shooting pains in the head over the eyes, and in the temples, also a very violent, aching pain inside of an all over the chest (second day), [2a]. ▶ Severe headache from temple to temple, of a throbbing, beating nature (fifth day), [4]. ▶ **Temples.** ▶ Pain in the temples from the jaws, [11]. **[110.]** ▶ During the day, headache very intense at times in right temple, [7b]. ▶ At 9 A.M., most severe headache in both temples and over eyes unbearable, causing him to cry bitterly, and refuse to take another dose, [3]. ▶ Boring in temples every second day, in the left, morning (fourth day), [12]. ▶ Boring in the right temple every second day; in the left in the morning (fourth day), [12]. ▶ **Vertex.** ▶ Could detect no symptoms, save a slight headache on top (eighth day), [7a]. ▶ Much pressing on top of head; feels as if a form, fitting top of head, was pressing on it (fifth day), [7]. ▶ *Pressing pain on top* (of head) and forehead, while reading and thinking, in the afternoon, with restlessness of mind, [12]. ▶ Painful pressure on top, by moving the head, with fever and prostration, [12]. ▶ Pressing heaviness on top and to the right (of head), [9]. ▶ Pressing shutting on top of head, [8]. **[120.]** ▶ Beating, pressing on top; painful pressure on top (of head) on moving the head, with fever and prostration, [12]. ▶ Strange pulsation on top of head, [11]. ▶ **Parietals.** ▶ Numbness in left side of head, [11]. ▶ Right side of head feels stiff, as if it would become numb (third day), [7]. ▶ *Pressure in left side* of head, with boring and shooting inwards, extends to forehead and eyes, in the evening, [12]. ▶ Tearing from forehead towards left side, [9]. ▶ Left side of head is now, and has always been, most severely affected (sixth day), [7]. ▶ **Occiput.** ▶ Dulness in occiput, after awhile becoming painful, [8]. ▶ Slight pain in head, back part (seventh day), [7]. ▶ Pressing on occiput, upper side, [9]. ▶ **External Head. [130.]** ▶ My hair, which is usually dry, has become very oily to-day, the first time I remember such an occurrence (third day), [2]. ▶ Skin of head seems contracted and pinched up (fifth day), [7a]. ▶ Scalp very sensitive, [2a]. ▶ Whenever I put my finger on my head, there is always a strong subsequent pain, lasting a considerable time, [7b]. ▶ Itching in "acquisitiveness" in the morning (fifth day), [7]. ▶ On right side of vertex something comes from within and itches, [8].

**EYE. ▶ Objective.** ▶ Eyes somewhat red and inflamed (the cornea), [1c]. ▶ No pain, but eyes still slightly red, and occasional stiches in right temple, [3]. ▶ Eyes

Louise Kornel 29-02-24

bloodshot and painful (fourth day), [3]. ▶ Inflammation in eyes during the day (tenth day), [7]. **[140.]** ▶ Inflammation of one eye; frothy matter pours out between the lids; pimples around the eyes since the bite of a dog in the finger, [116]. [A cure. - BRAUNS.] ▶ **Subjective.** ▶ Weakness of eyes when looking upwards, [9]. ▶ Great weakness in eyes, but no pain, [5]. ▶ Some pain in eyes (eighth day), [7]. ▶ Burning in eyes, [9]. ▶ Headache not severe; pain extends into right eye (fourth day), [2]. ▶ Eyes ached intensely, [7b]. ▶ Soreness in eyes (fourth day), [4]. ▶ Soreness in eyes, and pain in forehead above them (second day), [4]. ▶ Soreness in eyes and throat, and difficulty in swallowing (fourth day), [40]. **[150.]** ▶ Drawing, beating pain over the eyes and into the balls, [10]. ▶ A curious stinging pain in left eye, extending to forehead, over right eye painful, at 9 A.M. (third day), [2]. ▶ Tickling and heat in eyes, [11]; from the neck, [11]. ▶ **Brow.** ▶ Pain over the left eye previous to retiring (fourth day), [7a]. ▶ Pain in small spot over right eyebrow, rendered worse by writing, [7b]. ▶ Pain over right eye inwards, pressing the temple, [9]. ▶ Sharp pain across eyebrows, afterwards burning in the eyelids (fifth day), [7a]. ▶ Drawing-beating pain over the eyes and into the balls, [10]. ▶ **Lids.** ▶ Eyelids as if they were lame, or were firmly closed, in the morning, [9]. [By Behlert, erase "9."] ▶ Burning in the lids, [11]. **[160.]** ▶ Burning in the eyeballs, [10]. ▶ **Vision.** ▶ Left eye extremely sensitive to light, and weeps, unusual with me, my eyes being very strong, [7b]. ▶ Dimness of sight, with giddiness, [9]. ▶ Something moves before the eyes, but always at a distance from the place she looks at, [9].

**EAR.** ▶ Rush of blood to right ear, after it a pressure, as if from a dull point, [8]. ▶ Ears feel very still, [7a]. ▶ Buzzing in right ear, [12]. ▶ Rushing noise, like water falling, in left ear, [9].

**NOSE.** ▶ **Objective.** ▶ Frequent sneezing, ceases after his attention is called to it, [14]. ▶ Often coagulated blood in the nose, [9]. ▶ **Subjective. [170.]** ▶ Pain in nose (second day), [7a]. ▶ Pain in the nose and right neck and side; feel very stiff, most about the jaws (fifth day), [7]. ▶ Nose pains from thinking, [11]. ▶ Headache extends into the nose, [11]. ▶ Sharp pain runs up the nose, [11]. ▶ Nose feels bruised (fifth day), [7a]. ▶ Tickling in nose, [11]. ▶ Itching in nose (all day), [7]. ▶

**Smell.** ▶ My sense of smell, which is always extremely acute, became painfully so, particularly in reference to unpleasant effluvia; the action of the nostrils was extremely painful, [7b]. ▶ The greatest sensibility to the smell of tobacco; tastes the snuff, while the box is one foot distant, [7c].

**FACE.** ▶ **Objective. [180.]** ▶ Paleness and qualmishness, [9]. ▶ Quivering in the face, [11]. ▶ Slight twitchings in face and hands, [7b]. ▶ Face pale yellow, nearly brown, [8]. ▶ **Subjective.** ▶ Heat in the face after drinking coffee, [9]. ▶ Heat in face, with redness, [9]. ▶ Heat in face, and soreness of left cheek, from thinking, [11]. ▶ It draws about in right side of face, [9]. ▶ **Cheeks.** ▶ Quick drawing from the right malar bone towards nose, [12]. ▶ Feeling as if bitten in the face, left side of mouth, [7]. **[190.]** ▶ Something seems gnawing right cheek-bone



Louise Kornel 29-02-24

(fifth day), [7]. ▶ Rending pain in right upper jaw towards the ear; jaws ache with the headache, [11]. ▶ Shooting pains in upper jaw, [7a]. ▶ **Chin.** ▶ Biting-snapping, with convulsions, [11]. ▶ Several severe twitches in jaws, [7b]. ▶ Jaws feel stiff, and a disposition to gape, [7b]. ▶ Jaws stiff and sore, with headache (after nearly a month), [7b]. ▶ Both jaws feel stiff; tingling in cheek-bones (third day), [7]. ▶ Jaw quite stiff at times, more painfully so than before (tenth day), [7]. ▶ Jawache nearly all day, and pressure on top of head most severe, [7a]. [200.] ▶ While reading, jaws began to ache; the longer I read, the more they ached; gaped frequently (seventh day), [7]. ▶ It seems to make the jaws ache to write (second day), [7a]. ▶ Jaws ache severely (second day), [7a]. ▶ Jaws feel sore and stiff; have a great disposition to press the hand against the lower jaw, [7]. ▶ Jawbone feels quite sore, [7b].

**MOUTH.** ▶ **Teeth.** ▶ Teeth feel on edge (second day), [7a]. ▶ Pain in roots of back teeth, [9]. ▶ All the teeth ache, [9]. ▶ Headache and earache extend into the teeth, [11]. ▶ Teeth very sensitive; pulsation in teeth of upper jaw, [7b]. [210.] ▶ Toothache during pregnancy, [8]. ▶ **Gums.** ▶ Gums painful, [9]. ▶ **Tongue.** ▶ Pain in the root of the tongue and left side of throat (second day), [7a]. ▶ **General Mouth.** ▶ Feeling of coolness in mouth, as after peppermint, [14]. ▶ Felt as if the velum pendulum palati was elongated; examining, found it not so, but was slightly inflamed (fifth day), [1]. ▶ Have had quite a sore mouth, feels as if there were lumps in it, [7b]. ▶ Have had, for a week previous to taking medicine, a dry, parched mouth, with great thirst; now, mouth full of saliva, and total disinclination to drink (third day), [7]. ▶ **Saliva.** ▶ Increase of saliva, not more viscid than usual (third day), [1a]. ▶ Towards noon, slight increased of saliva, [5]. ▶ Much saliva, [6a]. [220.] ▶ Much saliva, not thicker than ordinary (sixth day), [7]. ▶ Great flow of saliva and difficulty in swallowing liquids (second day), [4a]. ▶ Saliva more plentiful, but thin, and of a yellow color (fifth day), [2]. ▶ Much viscid saliva (second day), [2], [1c]. ▶ A large quantity of viscid saliva in mouth, causing me to spit an unusual quantity (third day), [2]. ▶ A very large amount of viscid saliva, and an increase of oil in the hair (fourth day), [2]. ▶ Saliva more viscid, constant spitting, feeling of general malaise all over, without pain, or knowing where to locate it (fourth day), [1]. ▶ Saliva very viscid, not more copious than usual, [3]. ▶ Saliva very viscid and plentiful, sore throat all day (third day), [2]. ▶ A great flow of spittle (third day), [4]. [230.] ▶ A great flow of mucous spittle (second day), [4]. ▶ Much tenacious mucus in mouth and throat, [1b]. ▶ **Taste.** ▶ All through this proving, could not get my food to taste of salt, though I used more than usual, [7b].

**THROAT.** ▶ **Objective.** ▶ Inflammation of the throat (Braung). ▶ Slight inflammation of throat and fauces as far as I could see (third day), [1a]. ▶ Throat much inflamed, some difficulty in swallowing, [1c]. ▶ Much mucus in throat and nose (fourth day), [7a]. ▶ During the day, bile rises in the throat; an unusual quantity of tough saliva in mouth and throat, [7]. ▶ A terrible pain in throat all day, and great pain in swallowing, [5]. ▶ Great heat in the throat and around the heart (second day), [1a]. [240.] ▶ Throat feels as though I had swallowed a small quantity

Louise Kornel 29-02-24

of red pepper (fourth day), [1]. ▶ At 3 P.M., felt a strange constrictive sensation in back part of throat never experienced before; at 4 P.M., worse, could not swallow without great pain; went off at 6 P.M.; returned in an hour, lasting till 10 P.M., [2]. ▶ Violent spasms of throat at 2 P.M., feeling as if I was about to be suffocated; went off at 9 P.M., [1c]. ▶ Sore throat, [3], [4a]. ▶ Sore throat all day (fourth day), [1a], [3]. ▶ Throat feels sore and as if swelled, [6a]. ▶ Sore throat, increased saliva, no inflammation, as far I could see, though it felt as if inflamed, and hotter than usual (seventh day), [1a]. ▶ Sore throat, constant desire to swallow, [6a]. ▶ Very slight sore throat, constant desire to swallow (second day), [1]. ▶ Sore throat increased, slight difficulty in swallowing liquids, much saliva, rather more viscid than usual (third day), [1]. [250.] ▶ Sore throat, not able to swallow without great pain (fifth day), [5]. ▶ Sore throat and headache all day, [1b]. ▶ Slight sore throat, difficulty in swallowing liquids; this time a real difficulty; epiglottis appeared partially paralyzed (this symptom continued three days in several persons, going off by degrees); no difficulty in swallowing solids, [1a]. ▶ Slight sore throat, [1b], [7]. ▶ Throat quite sore, headache in both temples, numbness in both arms, slight pain in lumbar region all day, [1b]. ▶ Quite a sore throat, constrictive sensation much worse when attempting to swallow liquids, which I could not do without pain; solids not painful, [2]. ▶ Violent sore throat, quite inflamed, could not swallow, liquids ran through the nose, [1c]. ▶ Very violent sore throat; soreness over whole body, as if beaten, [6a]. ▶ Soreness in throat from 11 A.M. till noon, [3]. ▶ Soreness and suffocation in back of throat at 10 A.M., [4]. [260.] ▶ Throat feels raw and as if about to become very sore (fifth day), [7]. ▶ Burning down in the œsophagus, [8]. ▶ A desire to swallow, and spittle more copious and viscid than usual, [1]. ▶ Constant desire to swallow (third day), [1a]; (sixth day), [7]. ▶ Constant effort to swallow, or dislodge mucus, which seems glued between nose and throat (eighth day), [7]. ▶ Feeling of suffocation has left the throat, but still I have difficulty in swallowing, also soreness in the eyes, but not the pain above them (third day), [4]. ▶ Slight difficulty in swallowing, [1a]. ▶ Great difficulty in swallowing; sore throat (second day), [2a]. ▶ Just before taking first morning dose, felt as if I was unable to swallow; tried a mouthful of cold water, swallowed it readily, but with a kind of aching in throat, followed by a slight burning; this burning lasted all day (fourth day), [1]. ▶ Feel as if I was going to have the mumps (second day), [7a]. [270.] ▶ Rending and tearing pain in right jugular bone, [9]. ▶ Gnawing in right jugular bone, [7].

**STOMACH.** ▶ **Appetite.** ▶ Better appetite than usual, [7a]. ▶ Appetite to-day and yesterday perfectly ravenous, [7b]. ▶ Likes cold apple-butter, [8]. ▶ Little appetite in the morning, [8]. ▶ Aversion and disgust to everything fat, particularly mutton, [8]. ▶ **Thirst.** ▶ Not thirsty these two weeks, [7a]. ▶ **Nausea and Vomiting.** ▶ Nausea, with pale face, after diarrhœa, [11]. ▶ Sickness of the stomach after eating eggs or fat meat; nausea, with giddiness and headache, [11]. [280.] ▶ Vomiting of the supper at night, [11]. ▶ **Stomach.** ▶ Noise

Louise Kornel 29-02-24

in the stomach like bubbles of water; pressure like something pointing, [8]. ▶ Pressing inwards in pit of stomach after eating, [9].

**ABDOMEN.** ▶ **Hypochondria.** ▶ Pressing pain in hypochondriac regions after quick walking, [12]. ▶ Painful throbbing, like an abscess, in the hypochondriac regions, [9]. ▶ Gnawing pressure in the left hypochondriac region, [8]. ▶ Tearing from left (hypochondriac region) to right, [9]. ▶ Pain in region of liver and right kidney, [7c]. ▶ **General Abdomen.** ▶ Difficult and impeded passage of wind, [8], [11]. ▶ Burning waving and rolling (in abdomen), [8]. [290.] ▶ Feeling of coldness and burning in abdomen, [9]. ▶ Violent bellyache, [17]. ▶ Pressive drawing and wrenching sensations (in abdomen), [9]. ▶ Shooting in abdomen, [9], [11], [17]. ▶ Shooting in right side of abdomen, [9]. ▶ **Iliac Region.** ▶ Glands in groins swelled *very much* and pained greatly for two hours (sixth day); not much abated (seventh day), [2]. ▶ Pain in both groins; the right groin has two little balls swelled up under the skin, quite painful (fifth day), [4]. ▶ Much pain in right groin and slight swelling there at 2 P.M. (fifth day), [7a]. ▶ Dull pressure above the right groin, on a small, distinct point, [12]. ▶ A dragging pain in both groins, [2].

**RECTUM AND ANUS.** [300.] ▶ Piles protrude, [11]. ▶ Blood from anus during menstruation, [11]. ▶ Bright-red blood from anus, with a horrible burning and stinging, like thorns, [6]. ▶ Sphincter (ani) closes violently, [11]. ▶ Pulsation outside of anus, [11].

**STOOL.** ▶ Diarrhoea, [9], [18]. ▶ Diarrhoea, without pain, in the morning, [8]; with pain in the morning, [7c]. ▶ Softer stool than usual, [8], [9].

**URINARY ORGANS.** ▶ **Bladder.** ▶ Cold and burning feeling in bladder; pain in sphincter, [8]. ▶ **Urethra.** ▶ After urinating, flow of prostatic juice, [8]. [310.] ▶ Burning and tenesmus in region of prostate and down urethra, [10]. ▶ Tickling burning in urethra after urination, [12]. ▶ **Micturition.** ▶ Urging to urinate, [8]. ▶ Very frequent urination; very copious watery urine, [10]. ▶ **Urine.** ▶ More urine and brighter colored, [8]. ▶ Urine brown, turbid, with reddish or whitish sediment, [8].

**SEXUAL ORGANS.** ▶ **Male.** ▶ Great weakness of the male parts; they feel empty, as if gone; bearing down in urethra, [8]. ▶ Tickling and burning on corona glandis, with some greenish pus, [10]. ▶ Aching in testicles, [8]. ▶ Lascivious ideas and erection, afternoon, [8]. [320.] ▶ Indifference during erection, and even during coition, [8]. ▶ Nightly emission in sleep, with dreams, [10]. ▶ No sperm during coition; the sperm passed off in sleep, [8]. ▶ **Female.** ▶ During the day, great pain, extending from uterus into breast and right side of abdomen (seventh day), [7]. ▶ Bearing down in uterine region, [9]. ▶ Sharp pains in uterus, shooting down to labia, [7c]. ▶ Slimy leucorrhoea during the proving, [7c]. ▶ Menstruation after fifty days, with headache, [7c]. ▶ Menstruation after two weeks, with

Louise Kornel 29-02-24

hæmorrhoids, pulsation in anus, and weakness of back, [9]. ▶ Taken three days after menstruation is over, it reappears in two cases, [9].

**RESPIRATORY ORGANS. [330.]** ▶ Sighing, [11]. ▶ Sighing, with oppression of breathing, [11]. ▶ Sighing, with pain in heart, [11].

**CHEST.** ▶ Rush of blood from the chest upwards, with toothache during pregnancy, [8]. ▶ Pain from within outwards, in right side, [11]. ▶ Pain in left side, [7a]. ▶ Dull pricking pain in left side from head to waist, [3].

**HEART.** ▶ Slight pain in heart and head (fourth day), [4a].

**BACK.** ▶ Pain in back and both groins, [5]. ▶ Aching in loins into back, [11]. **[340.]** ▶ Aching from loins down to feet, [7a]. ▶ Drawing downwards (in loins), [8].

**EXTREMITIES IN GENERAL.** ▶ Severe pain in all the joints, [5].

**SUPERIOR EXTREMITIES.** ▶ Numbness in both arms, [1]. ▶ Hands numb, with the headache (after nearly a month), [7b].

**INFERIOR EXTREMITIES.** ▶ Heavy bruised feeling in both thighs, [2]. ▶ Legs felt heavy and throat sore, [5].

**GENERAL SYMPTOMS.** ▶ Chlorosis (Barr, Gross). ▶ Great weakness and prostration, [8]. ▶ Nervous and irritable (seventh day), [7a]. **[350.]** ▶ Felt very nervous and much excited (third day), [7b]. ▶ Feel lazy, requires an effort to think (fourth day), [7]. ▶ General malaise all over, without pain, or knowing where to locate it (fourth day), [11]. ▶ Feel very bad to-day, severe pain in eyes, and in all my joints, [5].

**SKIN.** ▶ Pimples on left forehead, afterwards on the right, [12]. ▶ Slow maturing, bluish pimples on face, [8]. ▶ Trickling in the left cheek, at 6 A.M., [7]. ▶ Itching in root of penis, [8].

**SLEEP AND DREAMS.** ▶ Excited, cannot sleep, [11]. ▶ Admires his own skill in talking fluently Latin in a dream, [8]. **[360.]** ▶ Subordination, like a servant in a dream, [14].

**FEVER.** ▶ Flushes (in the face) and headache alternately, [9]. ▶ Face sweats, with flushes, [11].

**CONDITIONS. ▶ Aggravation.** ▶ (*Morning*), Eyelids as if lame; little appetite. ▶ (*Afternoon*), While reading and thinking, *pain on top of head*. ▶ (*Evening*), At 9 o'clock, pains over eyes, etc. ▶ (*After coffee*), Heat in face. ▶ (*When looking upward*), Weakness of eyes. ▶ (*Moving*), Bursting feeling

Louise Kornel 29-02-24

in head. ▶ (*Stooping*), Vertigo; bursting feeling in head. ▶ (*Writing*), Pain over eye. ▶ **Amelioration.** ▶ (*Cold air*), Headache. ▶ (*After meals*), Feels better.

**Bibliography:**

The Soul of remedies by Rajan Sankaran.

The Wolf David Lilley.

Homeopathic Materia Medica of the Sarcodes by Chaturbhujaya Nayak, Smita Brahmachari, Syed Afsar Ali.


The spirit of homeopathy by Rajan Sankaran.


Prisma Frans Vermeulen.


Nosodes and imponderables, by Dr. Bhawisha and Dr. Shachindra Joshi.

Touching base with trauma Elizabeth Adalian MCH MARH.

Lotus Materia Medica Robin Murphy, third revised edition.










Louise Kornel 29-02-24

25



Louise Kornel 29-02-24

26

